


DETAILED MEASUREMENTS

ALUMINIUM RAILING MOUNTED ON THE OUTSIDE WITH CROSSBAR V2



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections

B - The width of the glass depends on the length of the sides and the number of sections

C - The height of the railing from the floor surface

D - Glass height

E - 145, 195, 250 or 350 mm


* 40 mm only applies to posts at the end on the right (seen from the outside) on each side of the railing so that the screws on any possible corner do not collide with each other

** Fall protection



DETAILED MEASUREMENTS

ALUMINIUM RAILING MOUNTED ON THE OUTSIDE WITH A WOODEN CROSSBAR V2



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections

B - The width of the glass depends on the length of the sides and the number of sections

C - The height of the railing from the floor surface

D - Glass height

E - 145, 195, 250 or 350 mm


* 40 mm only applies to posts at the end on the right (seen from the outside) on each side of the railing so that the screws on any possible corner do not collide with each other

** Fall protection



DETAILED MEASUREMENTS

ALUMINIUM RAILING MOUNTED ON THE OUTSIDE V2



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections

B - The width of the glass depends on the length of the sides and the number of sections

C - The height of the railing from the floor surface

D - Glass height

E - 145, 195, 250 or 350 mm


* 40 mm only applies to posts at the end on the right (seen from the outside) on each side of the railing so that the screws on any possible corner do not collide with each other

** Fall protection



DETAILED MEASUREMENTS

ALUMINIUM RAILING MOUNTED ON THE OUTSIDE WITH CROSSBAR
CLAMP WITH HEEL V2



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections

B - The width of the glass depends on the length of the sides and the number of sections

C - The height of the railing from the floor surface

D - Glass height


E - 145, 195, 250 or 350 mm

* 40 mm only applies to posts at the end on the right (seen from the outside) on each side of the railing so that the screws on any possible corner do not collide with each other



DETAILED MEASUREMENTS

ALUMINIUM RAILING MOUNTED ON THE OUTSIDE WITH A WOODEN CROSSBAR CLAMP WITH HEEL V2



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections

B - The width of the glass depends on the length of the sides and the number of sections

C - The height of the railing from the floor surface

D - Glass height


E - 145, 195, 250 or 350 mm

* 40 mm only applies to posts at the end on the right (seen from the outside) on each side of the railing so that the screws on any possible corner do not collide with each other



DETAILED MEASUREMENTS

ALUMINIUM RAILING MOUNTED ON THE OUTSIDE WITH A WOODEN CROSSBAR CLAMP WITH HEEL



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections

B - The width of the glass depends on the length of the sides and the number of sections

C - The height of the railing from the floor surface

D - Glass height


E - 145, 195, 250 or 350 mm

* 40 mm only applies to posts at the end on the right (seen from the outside) on each side of the railing so that the screws on any possible corner do not collide with each other



DETAILED MEASUREMENTS

ALUMINIUM RAILING MOUNTED ON THE OUTSIDE WITH CROSSBAR V2 BRACKET MOUNT



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections

B - The width of the glass depends on the length of the sides and the number of sections

C - The height of the railing from the floor surface


D - Glass height

** Optional clamp with glass protection



DETAILED MEASUREMENTS

ALUMINIUM RAILING MOUNTED ON THE OUTSIDE WITH A WOODEN CROSSBAR V2 BRACKET MOUNT



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections

B - The width of the glass depends on the length of the sides and the number of sections

C - The height of the railing from the floor surface


D - Glass height

** Optional clamp with glass protection



DETAILED MEASUREMENTS

ALUMINIUM RAILING MOUNTED ON THE OUTSIDE V2 BRACKET MOUNT



A - The c/c dimensions of the posts depend on the length of the sides and the number of sections

B - The width of the glass depends on the length of the sides and the number of sections

C - The height of the railing from the floor surface

D - Glass height

** Optional clamp with glass protection

